




# Computerized Needle Feed Lockstitch Machine






Germany design, Unique vision, High quality





# 1 Feed Smoothly, Avoid Of Layers Offset

Specialized feeding keeps fabric smooth without winkles and layers offset; applicable for yarn, chiffon and silk fabrics.



More Than 6mm

### 2 Beautiful Stitches Without Short Thread Tail

Beautiful stitches and no need to cut remaining thread. End sewing remaining thread is short within 3mm, auto lockstitch avoid loose stitch.



### 4 Large Space, Wide Range Of Application

The operation space can reach as large as 300MM, which makes fabric feed more smoothly, applicable for down jacket, shirts and suits.



### 3 Sealed Oil Pan, No Oil, No Trouble

Sealed oil pan, no dust into the oil, perfect lubrication, clean and durable.



### 5 Easy to learn, Easy to use

Easy to understand, no need to remember parameters.

## **Specification**

Model	Needle	Thread No.	Stitch Length (mm)	Presser Foot Lifting Height (mm)	Max. Speed (S.p.m)	Light/Meduim Heavy Duty	Heavy Duty	Volume (mm)	Weight (kg)
A6F	DB×111-18#	2	4.5	5-13	4000	√		695×315×670	45/52
A6F-H	DP×5 18-21#	2	4.5	5-13	3000		√	695×315×670	45/52

Note: standard devices for automatic trimming, automatic reverse, automatic presser feet lifting and automatic threadtension.